

CERTIFIED TRIPLE WIDE CARPORTS 35 LBS PSF/140 MPH

UERTICAL ROOF STYLE

AS LOW AS \$3,521

STANDARD 14 GAUGE, 6' LEGS



14 gauge galvanized framing (12 ga optional) and 29 gauge metal roofing Welded peak brace

| 26 x 21 | \$3,521 | 28 x 21 | \$3,596 | 30 x 21 | \$3,821 |
|---------|---------|---------|---------|---------|---------|
| 26 x 26 | \$4,196 | 28 x 26 | \$4,346 | 30 x 26 | \$4,496 |
| 26 x 31 | \$5,246 | 28 x 31 | \$5,396 | 30 x 31 | \$5,696 |
| 26 x 36 | \$5,846 | 28 x 36 | \$6,146 | 30 x 36 | \$6,446 |
| 26 x 41 | \$6,596 | 28 x 41 | \$6,896 | 30 x 41 | \$7,121 |
| 26 x 46 | \$7,421 | 28 x 46 | \$7,646 | 30 x 46 | \$7,946 |
| 26 x 51 | \$8,021 | 28 x 51 | \$8,321 | 30 x 51 | \$8,546 |

A-FRAME STYLE

AS LOW AS *\$2,921*

STANDARD 14 GAUGE, 6' LEGS



14 gauge galvanized framing (12 ga optional) and 29 gauge metal roofing

Welded peak brace

| 26 x 21 | \$2,921 | 28 x 21 | \$2,996 | 30 x 21 | \$3,071 |
|---------|---------|---------|---------|---------|---------|
| 26 x 26 | \$3,371 | 28 x 26 | \$3,521 | 30 x 26 | \$3,746 |
| 26 x 31 | \$3,896 | 28 x 31 | \$4,046 | 30 x 31 | \$4,271 |
| 26 x 36 | \$4,421 | 28 x 36 | \$4,796 | 30 x 36 | \$5,096 |

REGULAR STYLE

\$2,846

STANDARD 14 GAUGE, 6' LEGS



STANDARD FEATURES

14 gauge galvanized framing (12 ga optional) and 29 gauge metal roofing
Welded peak brace

| 26 x 21 | \$2,846 | 28 x 21 | \$2,921 | 30 x 21 | \$2,996 |
|---------|---------|---------|---------|---------|---------|
| 26 x 26 | \$3,146 | 28 x 26 | \$3,371 | 30 x 26 | \$3,521 |
| 26 x 31 | \$3,746 | 28 x 31 | \$3,896 | 30 x 31 | \$4,046 |
| 26 x 36 | \$4,271 | 28 x 36 | \$4,496 | 30 x 36 | \$4,871 |

OPTIONS

| | | | 21' L | ong | 26 | Long | | 31' Long | | | 36′ Lo | ong | 4 | 41' Long | | 4 | 16' Loi | 6' Long | | 51' Long | | |
|-------------|-------------------------|--------------------------------------|---------------|------------------------|------------------|-------------------|--------------------|--------------------------------|--------------------|----------|---|-------------------|------------------|---|---------|---------|-------------------|----------|------------------------|----------|----------------|--|
| | 12 Gaug 65 LBS P | | | | \$1 | \$1,350 | | \$1, | \$1,575 \$1,800 | | | \$2,050 | | \$2,300 | | 0 | \$2,550 | | | | | |
| | Double Lo | | ble Leg \$768 | | | \$768 \$956 | | \$1,125 \$1,312 \$154 \$172 | | | \$1,462 | | \$1,668 | | \$1,800 | | | | | | | |
| | | | m \$123 | | \$135 | | \$172 | | | | \$168 | | \$210 | | | \$228 | | | | | | |
| L | LEG HEIGHT | | 21' Long | | 26' Long | | 31' Long | | | 36' Long | | 41' Long | | 46' Long | | ng | ! | 51' Long | | | | |
| | 6 FT | STD | | D | STD | | STD | | | STD | | STD | | | STD | | | STD | | | | |
| | 7 FT | | \$9 | | | 108 | | \$1: | | | \$14 | 6 | | \$165 | | | \$180 | | | \$198 | | |
| | 8 FT | | \$18 | B O | \$2 | 217 | | \$2 | 55 | | \$28 | 8 | | \$326 | | | \$360 | | | \$397 | | |
| | 9 FT | | \$2 | 70 | \$3 | 326 | | \$37 | 78 | | \$43 | 5 | | \$487 | | | \$540 | | | \$596 | | |
| | 10 FT | | \$3 | 60 | \$4 | 135 | | \$5 | 06 | | \$57 | 7 | | \$648 | | \perp | \$720 | | | \$795 | | |
| | 11 FT | | \$4 | <u>50</u> | \$! | 540 | | \$6 | 30 | | \$72 | 0 | | \$810 | | | \$900 | | | \$990 | | |
| | 12 FT | | \$540 | | | 648 | | \$7 | | | \$86 | | | \$975 | | | <u>\$1,080</u> | | | \$1,278 | | |
| | 13 FT | | \$990 | | | 170 | | \$1,3 | | | \$1,53 | 0 | | \$1,710 | | | \$1,890 | | \$2,070 | | | |
| | 14 FT | | \$1,1 | 70 | \$1, | 350 | | \$1,5 | 30 | | \$1,710 |) | \$1,890 | | | \$2,070 | | | \$2,250 | | | |
| | | | 21' Long | | | 21' Long 26' Long | | | 31' Long | | | 36' Long 41' Long | | | | | | 46' Long | | | 51' Long | |
| S | 6 FT | | \$540 | | \$630 | | | \$757 | | | \$866 | | \$1,035 | | \$1,170 | | | | \$1,260 | | | |
| SIDES | 7 FT | | \$720 \$855 | | | | \$1,035 | | | | \$1,215 | | \$1305 | | \$1440 | | | | \$1,620 | | | |
| | 8 FT | , | \$765 | | \$926 | | | \$1,080 \$1,260 | | | \$1,395 | | \$1530 | | | | \$1,710 | | | | | |
| 7 | 9 FT | | \$810 | | \$975 | | | \$1,125 | | | \$1,305 | | \$1,440 | | | \$1575 | | | | \$1,755 | | |
| BOTH | 10 FT | | \$990 | | \$1,170 | | \$1,350 | | | | \$1,530 \$1,710 | | | | \$1890 | | | | \$2,115 | | | |
| 9 | 11 FT | | \$1,035 | | | | \$1,440 | | \$1,620 | | \$1,800 | | \$1935 | | \$2,205 | | | | | | | |
| | | 13 FT \$1,260 \$1,485 | | \$1,260 | \$1,485 | | \$1,485 \$1,710 | | \$1,710 \$1,980 | | \$1,890 \$2,160 | | \$2115 \$2430 | | \$2,340 | | | | | | | |
| OSE. | | | | | | | | | | | | | | | | \$2,700 | | | | | | |
| 0 | 14 FT | | \$1,305 | 14 005 | \$1,530 | 10.11 | 0.057 | \$1,755 | 10.11 | | \$2,025 \$2,205 8 FT 9-11 FT 12-14 6-8 FT 9-11 F | | | 5 \$2520 FT 12-14 6-8 FT 9-11 FT 12-14 | | 10.11 | \$2,790 | | 10.11 | | | |
| 7 | Vertical Option Add. | 6-8 FT \$397 | \$472 \$54 | -14 6-8 F1 17 \$495 | 9-11 FT \$592 | 12-14 \$690 | \$596 | 9-11 FT \$708 | \$821 | \$693 | \$892 | \$900 | \$795 | 9-11 F1 \$952 | | | 9-11 F1 \$1065 | | 6-8 FI \$990 | | 12-14 31361 | |
| | Wainscot | | 360 | 11 9433 | \$450 | 3030 | - | \$495 | 3021 | | \$65Z 585 | 2200 | | \$675 | \$1120 | | \$765 | \$1233 | | 855 | 1001 | |
| | LEG HEIGHT | | | 26 ′ Wid | ام | | • | | | | 28' Wide | | | | | | | 30' Wide | | | | |
| | 6 FT | | | \$1,170 | | | | | | | 1,260 | | | | | | | 1,350 | | | | |
| | 7 FT | | | | | | | | | | | | | \$1,440 | | | | | | | | |
| | 8 FT | | \$1,260 | | | | | | \$1,350 | | | | | \$1,530 | | | | | | | | |
| END | 9 FT | | | \$1,35 | | | | | | | 1,440 | | | | | | | | | | | |
| | 10 FT | | \$1,440 | | | | | \$1,530 | | | | | | \$1,620 | | | | | | | | |
| SE ONE | 11 FT | | \$1,530 | | | | | | | | 1,620 | | | | | | | 1,710 | | | | |
| 0 | | | \$1,620 | | | | | | \$1,410 | | | | | | | | | 1,800 | | | | |
| Щ | 12 FT | | \$1,710 | | | | | | \$1,800 | | | | | | | | | 1,890 | | | | |
| S | 13 FT | | | \$1,89 | | | | \$1,980 | | | | | | | | 2,070 | | | | | | |
| CLO | 14 FT | | | \$1,98 | 0 | | | | | \$ | 2,070 | | | | | \$2,160 | | | | | | |
| U | Vertical | rtical 6-8 FT 9-11 FT 12-14 FT 6-8 F | | | | | | 8 FT | | 9-11 FT | | 12-14 FT 6-8 I | | | B FT | 9-11 FT | | | 12-14 F | T | | |

NOTE: Wainscot is FREE for hoizontal siding. Vertical siding would be the extra charge

\$382

\$506

\$405

EXTRA FRAME BOWS

\$337

Vertical Option Add.

(Includes standard 6' legs)

26'-30' WIDE \$450 each

* Add. \$25 for each foot extra height

| | 26 | 28 | 30 |
|-------------------|---------|---------|---------|
| Gable End | \$412 | \$450 | \$506 |
| Extended Cable | \$825 | \$900 | \$1,012 |
| Vertical Gable | \$618 | \$675 | \$750 |
| Extended Vertical | \$1,237 | \$1,350 | \$1,500 |

\$360

NOTE: To create a building length greater than 51', two or more buildings may be attached for a fee. NOTE: To price a customized building with width or length in between the sizes shown, the use the next size up. NOTE: Must purchase double leg option on 15' or taller (13' or taller may require lift.) NOTE: To access 15'-20' height options refer to the 15' price page.

\$382

\$360

\$431



\$405


\$581

\$427

\$382

ROOFING AND SIDING COLORS

offers 14 different color options that you can choose from, making it easier to match the surroundings.



COLORS MAY VARY SLIGHTLY

PECIFICATIONS

- **→** Bows on 5' centers, 4 corner braces, and peak braces
- **→** We recommend adding 2 extra feet in height for future garage
- **→** 2 1/2" & 2 1/4 " 14 Gauge Galvanized Steel
- **29 Gauge STEEL roof panels**
- **→** Buildings 22' or 24' wide, or 8' legs or taller, we recommend extra bracing
- → Arkansas Carports is not responsible for impenetrable stony ground
- ➡ If you are needing special drawings or wet stamped drawing for your building, there will be an additional charge
- ➡ Certification includes extra bracing + the best anchors for your installation surface. Certified for 140mph winds + 35lbs snow load psf

| ADDITIONAL LABOR | 20'L | 25'L | 30'L | 35'L | 40'L | 45'L | 50'L |
|------------------|-------|-------|-------|-------|-------|-------|-------|
| BUILD OVER FEE | \$135 | \$157 | \$180 | \$225 | \$247 | \$292 | \$315 |
| CUT LEGS ON SITE | \$90 | \$112 | \$135 | \$157 | \$189 | \$202 | \$225 |

ACCESSORIES

Extra Panels

21' Long \$184 each 26' Long \$229 each 31' Long \$274 each 36'Long \$319 each

Extra Braces

2 ft Brace \$26 per leg 4 ft Brace \$54 per leg

Windows

30" x 30"..... \$247.00 each

Walk-In Door

36" x 80"..... \$382.00 each

45° Arch Cut

\$112.00 per Opening



Roll-Up Commercial Doors With Chain

\$1.615 12' x 12'

\$2,641 14' x 14' (Requires Lift)

Fee to install Roll-Up Commercial Doors on side of buildings 12' to 30' wide is \$250

Garage Doors (Roll-Up)

\$500.00 6 x 6 \$517.00 6 x 7 \$697.00 8 x 8 \$720.00 9 x 8 \$765.00 10 x 8 10 x 10 \$877.00

Fee to install Roll-Up doors on side of buildings 12' to 30' wide is \$250

Insulation

\$1.00 per square foot - Bubble \$3.00 per square foot - Spray foam

Concrete Anchors Bolts

\$36.00 Each

End Frame Outs

We accept all major credit cards

3% PROCESSING FEE

(Must close ends first)

Window Frame Outs Up to 30"x 30"

Walk-In Door Frame Outs Up to 36" x 80" \$225 (Per Opening)

Garage Door Frame Outs on Ends up to 12' x 12' **\$315** (Per Opening)

Connect Fee

VISA

End to End: 12' to 30' Wide \$288.00 Side to Side: 21' Long **\$238.00** 26' Long **\$261.00** 31' Long **\$283.00** *36' Long \$310.00* 41' Long **\$333.00**

> 46' Long **\$355.00** 51' Long **\$378.00**

Asphalt Anchors 30" \$67.00 Each \$45.00 Not installed



\$162 (Per Opening)

DISCOVER'

Scan me for a 3D builder

Mobile Home Anchors 30" \$67.00 Each

\$45.00 Not installed